



القسم / الشؤون التجارية ٥/١١

العدد / ١١٥٨  
التاريخ / ٢٦  
٢٧ طابعا  
الى // شركة

5 مكتب عمار عدنان حسن  
6 مكتب حيدر الشماع  
7 شركة فجر الهدى

1 شركة ابناء جيل المستقبل  
2 شركة عطر الروان  
3 شركة العجنة  
4 شركة ميزوبوتاميا

((م/ امكانية تجهيز غزل 1/4.5 اكريلك))

تحية طيبة

يرجى اعلامنا عن امكانية تجهيزنا بغزل (1/4.5) بكمية (16) طن وبموجب المواصفات الفنية المطلوبة والمرفقة طيا ... راجين تقديم عروضكم مع النماذج خلال مدة (15) يوم (خمسة عشر يوما) من تاريخ صدور كتابنا اعلاه ... وبخلافه يعتبر اعتذار رسمي من قبلكم. مع التقدير.

المرفقات:-

- مواصفات



المهندس  
عماد عباس علي  
معاون مدير عام  
مدير مصنع الصوفية

نسخه الى //

للتفضل بالاطلاع ... مع التقدير.

- الدائرة القانونية
- الرقابة الداخلية
- الدائرة الفنية
- الشؤون المالية
- التجارية/مع الاوليات.

**Specification of Acrylic Yarn ( Colored )**  
**Nm 4.5/1 metric / Semi Worsted For Tufted Blanket**

The technology.*	100% acrylic and ring frame spinning yarn
Yarn count	4.5/1 Nm $\pm 5\%$ (cv%=3max)
Fiber fineness	(3 den 40%+5den 40% +7den 20%) $\pm 10\%$
Length of fiber	76 mm (average) $\pm 5\%$ Short fiber (10-40) mm 10% max.
Breaking Load / gmf	1500 min.
Elongation	18 % Min.
Yarn twist	165 Tpm-Z ( $\pm 5\%$ )
Twist cv%	7.5% max.
Color fastness for :	
Washing	4-5
Rubbing (Dry & Wet)	4-5
Oil content	( 0.25 - 1 ) %
Fiber type	Bright Acrylic fiber & good even Yarn non bulky & no difference in shade of each color
<b><u>Packing must be :</u></b>	
<ul style="list-style-type: none"> <li>- Knotless yarn on carton Cones ( spliced) clearly labeled with lot no. &amp; yarn count</li> <li>- The cones should be packed on plastic or wooden pallets suitable for truck sea transportation.</li> <li>- Yarns should be treated for anti pilling and antistatic.</li> </ul>	
<b><u>Cone dimensions as follows :</u></b>	
Inner bottom diameter	70 mm
Inner top diameter	42 mm
Length of diameter	230 mm
Cone weight	(2.5-3)kg
<b><u>Specification pilot of Fiber :</u></b>	
3 Den	(5 – 6) crimps /cm
5 Den	(4 – 5) crimps / cm
7 Den	(3-4) crimps / cm
Tenacity	(2-4) gm / dtex (min )
Elongation at break	38 % (min)

*Handwritten signature and initials in blue ink.*

*Handwritten signature and initials in blue ink.*