

Republic of Iraq

Ministry of Industry and Minerals

General Company for Textile and leather Industries

Woollen Factory



جمهورية العراق

وزارة الصناعة والمعادن

الشركة العامة لصناعات النسيج والجلود

مصنع الصوفية

القسم / الشؤون التجارية

العدد / ٧٩٨

التاريخ / ١٩ / ١٨ - ٢٠١١

الى // الشركات كافة

((م/ امكانية تجهيز غزل 2/4 أكريلك))

تحية طيبة

يرجى اعلامنا عن امكانية تجهيزنا بغزل (2/4) أكريلك وبكمية (14 ± 6%) طن وبموجب المواصفات الفنية المطلوبة والمرفقة طيا ... راجين تقديم عروضكم مع النماذج وتزويدنا بكتالوك الوان مرفق مع العطاء وخلال مدة (10) أيام (عشرة أيام) من تاريخ صدور كتابنا اعلاه وبخلافه يعتبر اعتذار رسمي من قبلكم. مع التقدير.

المرفقات:-

- مواصفات

المهندس /

عماد عباس علي

معاون مدير عام

مدير مصنع الصوفية

نسخه الى //

- الدائرة القانونية
- الرقابة الداخلية
- الدائرة الفنية
- الشؤون المالية
- شعبة نظم المعلومات/ للتفضل بالاطلاع ونشرها على موقع المصنع ... مع التقدير.
- التجارية/مع الاوليات.

Iraq, Baghdad, Al-Kadumia, Al-Korneesh Street

P.O. Box : 9114

Tel. : +96415245260 (5245261)

Email : commercial@scwi.gov.iq

العراق - بغداد - الكاظمية - شارع الكورنيش

ص.ب : 9114

Website: www.scwi.gov.iq

www.facebook.com/woollenindustries

Specification of Acrylic Yarn (4/2) Nm for 2018

Spinning System: open end / Rotor Spinning

Specification	Requirement	
Metric Count/ Nm	4/2 ($\pm 6\%$)	
Count CV%	5% Max	
Fiber fineness average (denier)	(3 den 50% + 5den50%) $\pm 10\%$	
Fiber length/ mm	(35-60)	
Short fiber less than 30 mm	10 % Max	
Non fibrous material	1 % Max	
Twist for single yarn/ tpm	220 ($\pm 7.5\%$)	
Twist for double ply/ tpm	125 ($\pm 7.5\%$)	
Twist CV%	7.5 % Max	
Strength at break (gmf)	(3500 -7000)	
Elongation	16% Min	
Blending	100% acrylic	
Color fastness for	Washing	4-5
	Rubbing (wet + dry)	4-5

Yarns should be traded for anti – pilling and antistatic

Packing: knotless yarn on carton cones (Spliced) clearly labeled with lot no . Yarn count.

Cone dimension as follows	Inner bottom diameter	(70)mm
	Inner top diameter	(40)mm
	Length of cone	(230-280)mm
	Cone Weight	(3.5 – 4) Kg
Packing must be	The cones should be packed on plastic or wooden pallets Suitable for truck / sea transpiration	